

Automated MTF

m o b i l e t o o l f a c i l i t y




CribMaster Automated MTF

Are you a distributor who needs to supply tools and other supplies during a turn-around or during a construction project? Do you need a better way to control tool usage and establish accountability during these events? Need more supplies and tools and you are out of floor space? Need more floor space to manufacture and you can't because the tool crib or supply room is in the way?

We now have the automated solution that will provide you with mobility and thanks to CribMaster and RFID will provide you with all the control and accountability you require as an end-user or supplier. The CribMaster Automated MTF uses the CribMaster Accu-Port RFID technology combined with the best wireless connectivity available to enable a fully functional, unmanned, mobile tool facility that provides a high level of accountability and accuracy. If you have problem controlling tools and supplies on a job site, the CribMaster Automated MTF is for you.

The standard CribMaster Automated MTF allows you to:

- Control tools and supplies during turnovers or shut downs
- Provide a high level of accountability for users
- Provide accurate usage reports
- Automate tool issue and return without personnel
- Easily locate missing items
- Eliminate pilferage
- Reduce stockouts with automated purchasing
- Provide accountability for contractor activity
- Provide 170+ standard reports
- Monitor and control calibrated equipment
- Monitor costs by user defined cost centers
- Control access based on permissions
- Automatically notify vendors of low inventory with critical alerts
- Monitor expendable, durable, and serialized inventory
- Manage kits and their replenishment
- Assign tools to jobs or tasks and report on mis-used inventory and much more...



ISV Software Solutions



call today 888.419.1399

Headquarters: 1955 West Oak Circle - Marietta, GA 30062
phone 888.419.1399 fax 770.419.1968 - www.cribmaster.com - sales@wwga.com



Winware Mobile Tool Facility Specs

Pre-Owned 53ft Trailer

- Reconditioned refrigerated units
- Side interior walls-new fiberglass reinforced poly
- Rear interior doors-new white aluminum sheeting
- White aluminum portal wall
- 3/4" cushioned, non-skid rubber flooring

Safety Features

- Illuminated emergency lighting
- Fire/Smoke detector
- Battery back-up exit signs
- Fire extinguisher
- MSDS safety box

Shelving Units (8 Units with Base)

- Dimensions- 84" (H) x 36" (W) x 24" (D)
- 3" high bin fronts
- 500lb weight capacity per shelf
- Welded sides
- Bolt-top and bottom shelves
- Clipped middle shelves

Side Door

- Dimensions - 7' x 3'
- Spring loaded coil
- Access point for adjoining trailer

Steps

- Diamond plate aluminum steps
- Non-skid tread
- Safety railing

HVAC System

- Package unit
- Galvanize steel ductwork
- Cooling-1.5 ton
- Heating-5kw
- Digital thermostat

Electrical System

- Powered by 200 amp service
- (2) 20 amp duplex GFCI receptacles
- (13) 4ft. safety shielded, surface mounted lights
- Electrical wiring in sealed pvc conduit

Computer Processing Units (2 Units)

- Primary and Secondary Units Rugged steel chassis
- Locking front door
- Side cooling fans w filter

Ruggedized Keyboard

- Environmentally sealed against splashing liquids, dust and dirt
- ABS Polycarbonate frame with 8-32 mounting studs
- Integrated touchpad pointing device
- Exhaust Fan located in computer cabinet
- Thermostat controlled

Network Connectivity

- Wireless network and internet connectivity
- Network data cable access port
- JSR Trailer RF Shielding System

UPS Battery Back-up System

- Protects CPU and electronic components against blackouts, voltage fluctuations and transient surges
- 2200 VA/1600 watt output capacity
- E-mail notification of power problems

Video Surveillance System

- IP Dome Camera-captures still images of employees entering and exiting portal
- Box Camera-located in nose of trailer
- High resolution color cameras
- Remote, pan/tilt/zoom digital control
- Real-time streaming video
- E-mail alert and notification system
- Network remote connectivity
- Motion sensor detection
- Audio component

Audible Door Alarm System

- Audible alarm is activated when portal door is disengaged or propped open
- E-mail notification alert sent to assigned per sonnel

Mobile Tool Facility-Options

Additional Shelving Units

- Dimensions- 84" (H) x 36" (W) x 24" (D)
- 3" high bin fronts
- 500lb weight capacity per shelf
- Welded sides
- Bolt-top and bottom shelves
- Clipped middle shelves

Metal Peg Board

- 20 gauge steel
- Baked-on rust and scratch resistant finish
- Slot and peg hole panels

Plastic Bins (variety of sizes available)

Vidmar Cabinets

- Reconditioned (variety of sizes available)


Heavy Duty Work Table

- Hoist and Rigging Rack System

Customer Signage (Decals)

- Company name/logo

MTF Floor Layout



Automated MTF

m o b i l e t o o l f a c i l i t y



CribMaster™

Inventory Management System

Standard MTF Photos



Inside the trailer looking towards the portal. Notice the RF Shielding fences on the right and left



View down driver's side wall



Inside the trailer looking down the shelving of the passenger's side wall



View of interior lighting




View of surveillance camera mounted on the inside of the portal



View of back of trailer with portal

Driver's Side Wall



Passenger's Side Wall

